

THE  
DEVIL'S  
SUNBED


# THIS IS BADLAND NO2

RITA DEGOE  
LINO DEGOE  
HERGOTTE  
RAMIC  
MEESA

BOGOMIR  
DORINGER

Stoya  
CHODOLIN  
LOUENIN

14€



9 772567 064009



THINKING IMAGES  
ČČČAAČF  
BY ADRIANA RAMIĆ  
WITH LEO RAMIĆ



My parents arrived to the US shortly before my birth: my father from former Yugoslavia (present-day Bosnia), and my mother from Poland via London. Circumstances prevented them from teaching me their respective languages when I was young enough for childhood fluency. Attempting to fill the void by studying Bosnian and Polish as an adult has felt analogous to artificial intelligence techniques — feeding data sets of image-concept pairings into my brain so it could then regurgitate them in unconvincing reconfigurations.

LEFT AND TOP: Courtesy of Leo Ramić

## What did it mean to be human in English, and then in Bosnian? How were these image-concept pairings stand-ins for the realities they signify?

A program, speaking the words for me instead, could become a sparse forest standing thinly between me and the fleshy discomfort of human error and the shame of ignorance. I wondered if it would make any difference to interpret as a computer, rather than a human. A bewildering, dull breeze seems to drift through culture-worlds separated without a communicative interchannel. In other words: MAYBE TYPICAL FIRST-GENERATION DIASPORA INADEQUACIES, TOO COMMONPLACE TO FEEL WORTH ELABORATION, WHERE COMMITTING TO A BELONGING COULD FEEL LIKE A VIOLENT ERASURE.

The consequences and residues of interpreting language, mediated through machine intelligences, have been central in my works as an artist. 'Walking Anemone (Hedgehog, Sock)', 2016, drew from a neural network trained on a defunct Croatian hedgehog caretaker's blog, rewriting its texts for the present and assigning them to numbered nodes in space. 'The Return Trip is Never the Same', 2014, imagined what would have happened if centuries-old ants walked on gestural keyboards in every language in the world.

I first learned to program from my father, who began programming in the late 70s in former Yugoslavia. In addition to technical knowledge, hearing about his experiences of that time was influential — in particular, learning about the reception of a program he wrote, re-encoding the then President Josip Broz Tito's image into a dot matrix text printout. Here, we have a conversation about what it was like to be a programmer then, and what happened with the dot matrix Tito.

ADRIANA RAMIĆ How did you get into computation?  
LEO RAMIĆ Computers were a novelty when I began studying them, much more so in Yugoslavia than in the USA, so computer programmers were an extra rare species in my area. The use of computers spread rather quickly and, by the time I graduated, many companies had some kind of a computer.

As a child I wanted to be an astronaut. I still remember seeing pictures of the first space traveller, Laika, a dog, in newspapers. My hometown in central Bosnia, near Travnik, had a large military factory, called 'Brotherhood' (named after Yugoslavia's motto: "Brotherhood and Unity"). Officially, this was claimed to be a truck factory. But all the trucks coming out carried a large cargo in the back, covered with military green or camouflage covers. And many residents worked there, so it was not a secret to anyone in town that the factory actually produced tanks, howitzers and moreover rockets. This naturally led to my study of mechanical engineering, the closest subject related to astronomy. However, after four years of studying the laws of physics, engines and related things, I wanted to learn more about other subjects.

Then I happened to read the book *Cybernetics* by Norbert Wiener. The intro dedicated the book to freeing the humans from the drudgery of boring and uncreative tasks in information processing, and compared this to the machines freeing the humans from slave labour as muscle power in the galleys of ships. THIS CAUGHT MY INTEREST; WHO WOULDN'T WANT TO FREE THE HUMANKIND OF MODERN-DAY SLAVERY? The subject of computers was entirely new, and it also appeared challenging; that sealed the deal.

In the late 70s in Yugoslavia, computer science was mostly relegated to a couple of courses within the math or electrical engineering schools. Luckily, just in time for my university decision, the University of Zagreb formed a 'real' computer science program — devoted to mostly computer topics as the core. I enrolled as soon as I could, and the rest is history.

What types of projects did you work on as a programmer in Yugoslavia? What sort of computers and languages did you use?

While computers were expected to relieve the humans of mundane tasks, I spent the early days as a human doing the mundane tasks of teaching computers how to compute. The first office mini-computer I worked

with in Yugoslavia didn't know even how to divide or round numbers, so I had to write programs for these elementary things. Programming early computers was a tedious and time-consuming affair. There was just enough space to do basic calculations, so results had to be stored on magnetic tape or other devices, and shuttled in and out of computer memory. And there was no room for a programming language, so programming had to be done using machine codes. Binary numbers are the only thing computers understand, even today. We used one shortcut, translating binary into hexadecimal numbers, so the codes were slightly easier to enter, and the machine code looked like this: 1A 3B 2C 44 78 AA 0A 00... and so on.

When I moved onto large computers, I worked mostly on IBM mainframes — the largest business computers of the era. Programming on large computers was much easier, because they had programming languages. Instead of entering a series of numerical codes, programs could be written in English-like languages, such as COBOL, PL1, and many others. As a System Programmer in charge of the operating system and other software controlling the 'magical' electronics within, I still often had to use the machine code, but this was eased with the machine translator program (Assembler).

Then IBM released the first mass-produced PC in 1981. However, PCs were already old news to many programmers, even to me in Yugoslavia. My graduate thesis, completed a year before the IBM PC release, was titled: *Implementation of a microprocessor to build a computer, with an example.*

There were also mini-computers, in between the large 'mainframe' computers and PCs, for those who needed more than personal computers could provide but could not afford or justify the cost of 'big iron' computers. My university, like most universities around the world, used mini-computers. So I used mini-computers at university, while using a large computer at work, and micro-computers for hobby projects.

When I was trying to research computers from that era in Yugoslavia, I kept getting the impression that a lot of hardware was difficult to obtain...

I did not own any computer while in Yugoslavia. I could not afford one, but had the skills, friends who couldn't afford getting the skills, but their parents had the money instead.

Were the mini-computers or micro-computers you mentioned earlier like Voja Antonić's Galaksija build-it-yourself computer that people could make themselves at home?

Big computers were very expensive, so only large companies and banks with access to convertible currency could afford buying one. Galaksija, and other PC clones, started appearing later, around the time when I was leaving Yugoslavia.

From your account it sounds like you had advanced access — at least within institutions. To what degree were computers moderated by institutions?

This depends on the year. As I mentioned before, computers spread rather quickly. I used a small mini-computer at work while studying, wrote a thesis on building a PC before IBM PC, and after graduating worked on a big IBM mainframe computer.

The IBM mainframe computers occupied a large room or two, which had to be specially built with heavy-duty air conditioning and raised floors to bury the thick cabling between components. They cost millions of dollars, plus tens of thousands of dollars monthly for maintenance and software. And they required large staff to program and operate. This was serious money, much more so for a small country like Yugoslavia. So only big companies and financial institutions had big computers, and data processing departments that accompanied them. I also worked on the first inexpensive micro-computers which were available in Yugoslavia, and which my friends had. These were Sinclair micros, made in the UK.

As an aside, thinking about other things I read on the internet, I heard that YUSCII, the Yugoslav ASCII, was called žabeceda (frog alphabet), since the first letter to appear, before 'A', was 'Ž'. Did you use that term, or is it just hypertext lore?

[LAUGHS] I've never heard of žabeceda until now. It's a clever term, but probably made up recently.

Yeah, apparently the 'Ž' was placed in the position of '@', and @ sorts before A in ASCII. Though now it's all about Unicode. Even so, like you said, it will all end up in binary (even if quantum). I remember once you jokingly affirmed that Bosnian-Croatian-Montenegrin-Serbian language could be quantum, too, because of its double negatives like 'nitko nije došao' (which



literally translates to 'nobody didn't come' but actually means 'nobody came').

Thinking in double negatives may help with understanding and overcoming the limitations of logic. The Bosnian language has that property of defying logic, like quantum mechanics, so in that sense it could be quantum (or extra-logical).

When you were working in northwest Bosnia in 1980 you had made a dot matrix image-printing program that printed a computed picture of Tito, what urged this? I made the image-printing program for a specific purpose: to print an artistic depiction of Tito. When Tito became ill, most people in Yugoslavia became concerned—not only for his fate, but for the fate of the country as well. Tito had established a rotating presidency to succeed him, with representatives of each republic taking the helm in turns, but no one knew whether this seemingly great scheme would hold Yugoslavia together. The country did not panic, but the mood was subdued.

When it was reported that Tito had one leg amputated, to prevent the spread of gangrene, many started worrying what would happen next. It was in this atmosphere that I decided to make a program to reproduce an image of Tito on the computer and print it for anyone who wanted one.

What did it look like, and how did you do it? The image of Tito was a shadow-art reproduction of his picture, similar in style to the widely known, and worn on T-shirts in the 70s, image of the Marxist guerrilla leader Che Guevara.

I formed the image by carefully arranging spaces and appropriate letters within the line, and line by line from top to bottom. The result appeared from up close as a random jumble of characters, but when viewed from some distance it was easily recognisable as the image of Tito's head.

LEFT: Courtesy of Adriana Ramić

RIGHT: A dot matrix printout using the same hardware and method as for the Tito portrait prints, 1980. Computer print, ink/ribbon, TERA-2 dot-matrix printer programmed in Z80 machine code, produced at University of Zagreb, courtesy of Leo Ramić

Encoding this image into a program was a slow and tedious work. The mini-computer I used had very little memory, so I had to keep saving the work onto a magnetic tape. The computer had no programming language, so I had to type in machine codes for the program, and hexadecimal numbers for the characters forming the image. For example, I typed into a computer lines similar to this: 0A 3C FA 4F A1

I FINANCIJSKO KUHIGOVODSTVO -65-															
P	1000	00	18	B1	00	E2	17	B3	00	B4	18	B5	00	B6	14
1010	AD	06	24	78	11	23	BF	30	38	38	38	33	53	7F	
1020	01	0C	9C	FB	B3	10	AD	04	22	BF	38	BF	4C	B3	
1030	0A	24	A0	24	C0	1E	74	01	30	C0	1A	BF	31	B3	
1040	0F	24	A0	3C	C0	12	BF	4C	E0	1E	74	04	B3	3F	
1050	90	06	B4	19	95	89	BA	03	24	A0	24	C0	1C	24	
1060	C0	1B	22	BF	38	BF	31	10	55	A1	1E	C1	21	75	
1070	C1	14	14	2A	2A	2A	18	2A	2A	2A	2A	2A	2A	2A	
1080	2F	1B	C1	25	E0	24	78	04	BF	3C	7D	BC	19	2B	
1090	C1	23	E0	22	78	04	BF	3D	7D	CE	32	0E	0E	0E	
10A0	1B	E2	1E	94	26	BF	4A	7C	07	22	B3	2A	BF	30	
10B0	21	BF	2A	BF	2C	BF	3F	74	08	20	C0	02	11	20	
10C0	A1	3E	70	04	C0	01	A0	3E	22	90	10	E2	21	74	
10D0	BF	3A	90	07	10	E1	14	BF	20	7D	8D	E3	24	9F	
10E0	25	C3	24	E3	23	C3	22	E3	1E	77	02	70	A3	24	
10F0	27	A3	20	B4	18	B5	98	AE	03	E0	1B	7C	25	0C	
1100	28	28	28	28	33	0F	78	04	0F	78	01	20	C0	20	
1110	25	1A	27	77	02	90	FB	1E	2A	2A	2A	19	7A	F4	
1120	A0	38	30	42	74	EC	A3	14	31	B4	1B	B5	A0	08	
1130	7D	FB	10	10	BF	3F	26	20	21	76	08	24	A0	3E	
1140	7E	08	90	08	90	A8	7A	F3	BF	AB	25	A1	3E	29	
1150	76	28	AA	B1	64	1A	E3	13	0F	C3	13	BF	25	A2	
1160	40	4E	AD	DA	BF	3F	78	07	30	A0	3E	78	04		
1170	BF	4D	31	A1	3E	32	BF	2F	70	CA	E3	1F	04		
1180	70	01	23	C3	1F	78	05	EB	00	A3	C8	00	E3	24	
1190	24	E3	28	43	C3	28	E3	2A	43	C3	2A	13	14	E1	
11A0	C1	27	E1	29	41	C1	27	E1	28	41	C1	28	11	1C	
11B0	7E	C4	BF	2D	E3	18	7F	09	E3	29	78	04	E3	C9	
11C0	E3	C8	3F	A5	1A	E0	1F	78	08	20	C5	15	C0	14	
11D0	C0	18	C0	19	BF	2A	BF	8D	BF	3C	7D	FA	E2	1E	
11E0	BF	4A	BF	42	BF	3E	7D	EE	21	BF	3A	B3	3F	BF	
11F0	42	C0	01	C1	02	70	21	E2	21	76	05	21	BF	3A	
1200	E1	14	BF	20	7D	BF	4C	B4	18	B5	88	AE	03		
1210	A3	24	E3	1C	63	20	BF	42	BF	3F	A0	3E	A1	3E	
1220	22	BF	2D	BF	42	20	C8	FF	C8	FE	C8	FB	E3	14	
1230	E3	05	7F	A0	E3	12	C3	07	E3	C8	3F	A5	1A	BF	
1240	22	BF	38	BF	31	24	A0	1E	C0	00	BF	4E	C0	01	
1250	C9	02	BF	3F	BF	4E	C0	03	BF	4F	C1	04	51	14	
1260	C1	05	51	7F	04	B3	2A	BF	30	70	E7	40	1A	C0	
1270	31	B3	4E	20	BF	3A	20	BF	2A	E3	11	78	02	BF	
1280	E2	00	00	00	00	00	00	00	00	00	00	00	00	00	
1290	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
12A0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
12B0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
12C0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
12D0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
12E0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
12F0	00	00	00	00	00	00	00	00	00	00	00	00	00	00	
1300	22	C2	11	BF	38	BF	31	BF	51	BF	52	BF	38	BF	
1310	31	BF	38	BF	31	90	A4	A6	3F	A4	1B	24	22	A9	
1320	BF	E1	07	7D	F2	E0	1A	BF	10	10	7D	EB	E0	05	
1330	30	C0	09	C2	07	90	04	C0	07	C2	08	E0	04	C0	
1340	02	31	C1	04	E0	03	C0	05	E1	01	51	C1	03	E0	
1350	24	B4	18	B5	08	BF	51	BF	18	78	7F	28	28	28	
1360	0A	BF	1A	B2	18	B3	08	BF	1E	70	A8	BF	51	BF	
1370	19	9F	0C	BF	31	BF	51	B2	17	BF	17	70	76	70	
1380	BF	38	BF	51	BF	1A	E0	00	28	28	28	30	F7	08	
1390	FB	F4	01	BF	01	0F	7F	FF	C3	1F	BF	14	B4	18	
13A0	BF	1E	BF	51	20	BF	14	BF	01	0E	7F	FB	05	1A	
13B0	BF	31	E0	13	30	0C	7C	FB	90	C3	BF	51	B4	19	
13C0	BF	19	7F	04	BF	31	BF	51	BF	17	BF	51	BF	31	
13D0	B3	C4	AD	10	BF	31	B4	19	B5	40	23	BF	90	38	




A

A


A

A

A



A.D.



Č

Č

A

Č

Č



BB 3C 20 20 3C E5... and so on. The program then printed a line similar to this: ...ORRXXXXTL;... LMNNNXA;... Obviously, there was no visible relation between the codes I typed, and the output produced. Worse yet, the computer had no display at all, not even a one line display that simple calculators had.

This meant that the programming process involved guessing which character should be placed in which position, then typing like the blind, then printing the result on the printer, and looking at it from a distance to see whether proper characters are in proper place. Then editing, correcting and adding codes, for hours on end. This process took many hours over several days.

And then you printed them out?

What did you do with them?

When the program was finished, I printed the output on the green-bar paper, which was the standard paper for business reports back then, on the dot matrix printer, which was the only type of printer available at that time. I printed out a thick stack of these images, which took another half a day, and placed them on a table in the hallway. Many people took the printouts home, and by the morning, all copies were gone.

The next day the announcement came: Tito was dead. While this was not unexpected, many were still shocked and speechless. I remember seeing that day one policeman I knew running towards the police station, and visibly crying and wiping off his tears on the run. That was the reaction of most of the country as well. I respected Tito for his accomplishments, but did not idolise him, or anyone else, so I was not looking forward to the predictable many days of endless mourning and mementos, whether genuine or contrived for decor.

One reaction that I did not expect was relayed to me when I arrived to work: the police visited the company and asked the management who, how, when and why that image of Tito was made and



P. 46–49: Installation view, *Machine that the larvae of configuration*, 2018. Elementary school Đura Jakšić, Banatski Dvor, Serbia. Photo by Marija Strajnić



disseminated it just before Tito died. They followed up with inquiries about me and my history. Fortunately, they accepted the explanation that it was just a coincidence, so I did not have to explain all the gory details of programming an image.

Did any of the prints survive today?

**No idea how many prints survived, if any. I know I brought at least one copy with me to the US, but don't know if it still exists and where..**

Did you print any other images with that program? Because of memory limitations, the program for the shadow-art image was intricately enmeshed with the image format, so printing a different image required a lot of reprogramming work. However, the company that made the computers that I made this program for,

then used this program to reprint the same image on a computer trade show, and received a lot more orders, so my work was widely seen (and made indirectly money on).

What did you think of people working around that time, or earlier, with computation in an artistic context — particularly those sort of computer-translated photos? New Tendencies exhibitions seemed to had strong presence in Yugoslavia from 1961–1973, gathering local and international artists informed by aesthetics of information age, which was just rising. For instance, I'm reminded of Vilko Žiljak's computer-generated Ki images when I think about that dot matrix image printing technique you used.

I was not aware of these New Tendencies exhibitions, because most took place long before my computer studies. I recall seeing a computer printed image back then — it is quite possible that it was one of their works.

I followed the political movements of the time, and one of these had a similar name. But that 'new wave' movement carried a different message, largely nationalistic, and did not last long. In one of his rare TV appearances, Tito mentioned that there were some tendencies in academic circles that sought to divide the country along the old lines, and that they had some support from the West, but that he would not yield to those pressures.

How did your perspectives on cybernetics and computation change? Like now, when we're already experiencing the dark sides of technology and automation?

One of my early projects was a computer art app for my artist friends. They had an inexpensive micro-computer and asked me to program something for it. I made a program that drew an artwork, repeatedly in a loop. Even though the artwork was fairly simple: a pyramid in a desert, with the sun above, those were early days of computers and they were mesmerised by it.

This led to debates about 'deus ex machina', the future with computers creating original art, writing books where readers could change the ending or sequence, and so on. Most believed that computers would reach far beyond the vision from Wiener's *Cybernetics*, with computers just relieving humans of mundane information processing tasks.

However, back then the day of computers competing with humans seemed very distant to me. To produce any results, computers had to be taught everything: every single step of the process had to be described in every detail, or there will be no result, or the result will be wrong. For those in the know, computers were 'garbage in, garbage out' machines.

Machines are very likely to some day exceed most humans in cognitive tasks, but with current methods such achievement would be far from ideal. Machines that are as prone to error as humans, and that produce results that cannot be fully verified and trusted, might produce more usable results faster than an average human — but they would be far from surpassing the humankind. The ultimate goal is for machines to do most of what we do, better than we do it. But that requires teaching the machine how to do something, which requires the teacher to understand the subject well enough. However, the teachers do not yet understand how the mind works, and machines are unlikely to discover this by some random method.

That's reassuring.

After I graduated in computer science, I continued with graduate studies in artificial intelligence. One day I received a book that I did not order. It was a spam mailing from the infamous 'Book of the Month', which sent everyone a random selection of books in the hope that someone would keep some book (and pay for it). The book was titled: *How to Program the Computer to Program Itself*. This was, of course, not anywhere close to being possible at that time (the book was just an introduction to basic programming language). That book made me laugh back then. Despite all the advances in computers and machine learning since then, a freshly produced book with a similar title would also make me laugh today.




It was striking for me to hear my dad's story about how a dot matrix image program could inspire a police visit — a reminder of our own responsibilities and agencies in manipulating machines, and the suspicion that can be elicited by re-encoding an image alone. Since computers are not autonomously programming themselves (yet) their behaviour is very much connected to the intentions of the humans behind them.

What did reprogramming an image do, if a machine can see whatever you program it to see? Curious what would happen if I could ask a computer to interpret an image as a crude sequence of letters, I wrote a program, BUBAMARA-OCR, that could infer a text based on Latin alphabet from an image using a computer vision algorithm. Ladybirds, chosen for their roles as predictive and fateful messengers, both biologically observed and reimagined by generative adversarial networks, were the intermediary between photo and alphabet — each letter having its own corresponding ladybird.

Whatever ladybird — each section of the image looked like most determined the letter that the program would output.

My friend Đorđe introduced me to his mother's school in Banatski Dvor, Serbia, where he had been compellingly photographing scenes and student artwork; we went there two summers ago and took pictures. Throughout classrooms, we found taxonomic posters outlining the anatomy of invertebrates, bees, slugs, and people, as well as alphabetical and grammatical references. A shelving unit in the entryway displayed insects pinned inside a styrofoam frame, behind jars containing specimens floating in formaldehyde, including a pig's brain, a squid, and a scorpion. Painted on classroom walls were snails, rabbits, frogs, and caterpillars twisting into question marks. A school naturally is a setting for the reinforcement of the image-concept pairs that comprise participation in a society, and as someone who didn't have a chance to properly learn the language in childhood, I wondered what I had been missing.

Maybe I couldn't understand everything that was going on, but BUBAMARA-OCR could try to decode the scenario; I hoped to see what sort of new meanings could be found in the photographs from the school. Each letter they wrote became a stand-in for something else, in a taxonomy of alphabetic polyvalence: an 'A' could imply anything from abažur, agonija, Armenija, or atom. I turned each letter of the texts generated by BUBAMARA-OCR into a flashcard with a photograph culled from data scraping and image recognition databases to illustrate this re-interpretation with an array of particular concepts, and then placed them according to the order of the text written by BUBAMARA-OCR, to remap and reimagine the source image over a new space. These image remappings were exhibited last year at Kimberly-Klark in New York alongside an earthwork, as well as at Super Dakota in Brussels, Veronica in Seattle, and New Galerie in Paris. This past February, I was also able to install many of them at the Đura Jakšić elementary school, which has felt like a beautiful recursive way to return them to their source.



Vilko Žiljak, *Ki 298*, 1972, computer-generated b/w print, 60.9 × 42 cm, programmed in FORTRAN, produced at Industroprojekt, Zagreb, courtesy of MSU Zagreb

Thanks to Đorđe and Snežana Vlaisavljević for their generosity and introduction to Osnovna Škola Đura Jakšić, Banatski Dvor.